


SHEET LIST TABLE

SHT. NO.	DRAWING NO.	SHEET TITLE
1	T-01	TITLE SHEET
2	C-01	SIGNING AND STRIPING DETAILS
3	C-02	SIGNING AND STRIPING -- WASHINGTON BLVD / WASHINGTON PL
4	C-03	DIAGRAMMATIC SIGN DETAILS



WASHINGTON BLVD MEDIAN IMPROVEMENTS SIGNING AND STRIPING PROJECT PXXXX

ABBREVIATIONS

AC	ASPHALT/CONCRETE	MH	MANHOLE
ASTM	AMERICAN SOCIETY FOR TESTING AND MATERIALS	MJ	MECHANICAL JOINT
BC	BEGIN OF CURVE	O.D.	OUTSIDE DIAMETER
BVC	BEGINNING OF VERTICAL CURVE	OC	ON CENTER
CL	CENTERLINE	PCF	POUNDS PER CUBIC FOOT
CMB	CRUSHED MISCELLANEOUS BASE	PE	PLAIN END
CONC	CONCRETE	PI	POINT OF INTERSECTION
DI	DUCTILE IRON	PR	PROPOSED
DIP	DUCTILE IRON PIPE	PSF	POUNDS PER SQUARE FOOT
DWY	DRIVEWAY	PVC	POLYVINYL CHLORIDE
EC	END OF CURVE	RCP	REINFORCED CONCRETE PIPE
ELEC	ELECTRICAL CONDUIT	RD	ROAD
ELEV	ELEVATION	RFC	RESTRAINED FLANGE
EVC	END OF VERTICAL CURVE	RPM	REVOLUTIONS PER MINUTE
EX	EXISTING	R/W	RIGHT-OF-WAY
FG	FINISH GRADE	SCE	SOUTHERN CALIFORNIA EDISON
FH	FIRE HYDRANT	SD	STORM DRAIN
FIB OPT	FIBER OPTICS LINE	SDR	STANDARD DIMENSION RATIO
FL	FLOW LINE	SPPWC	STANDARD PLANS FOR PUBLIC WORKS CONSTRUCTION
FLG	FLANGE	SS	SANITARY SEWER
FS	FINISH SURFACE	ST	STREET
G	GRADE OF INITIAL TANGENT	STA	STATION
GPM	GALLONS PER MINUTE	STD	STANDARD
HDPE	HIGH DENSITY POLYETHYLENE	TC	TOP OF CURB
HRDWR	HARDWARE	TELE	TELECOMMUNICATION
I.D.	INSIDE DIAMETER	TPZ	TREE PROTECTION ZONE
IN	INCHES	TYP.	TYPICAL
INV.	INVERT	VC	VERTICAL CURVE
LF	LINEAR FEET	W	WIDTH

UTILITY COMPANY CONTACTS

COMPANY	CONTACT	PHONE NO.
AT&T DISTRIBUTION	RICK RODRIGUEZ	(626) 308-4042
CHARTER	AL RUIZ	(310) 216-3510
CITY OF LOS ANGELES	LILIA MENDOZA	(213) 847-1552
CRIMSON PIPELINE	DAN COBUM	(562) 355-7259
CROWN CASTLE	DAVID ANTOL	(724) 416-2180
FRONTIER	CORY RIGGS	(310) 264-5123
LADWP	PATRICK MAGALLANES	(213) 367-2659
LA SANITATION	RACHEL BASS	(310) 575-8612
SOUTHERN CALIFORNIA EDISON	KIM GURULE	(714) 796-9932
SOUTHERN CALIFORNIA EDISON TELECOMM	TONY DEVESTERN	(626) 308-6625
SOUTHERN CALIFORNIA GAS COMPANY	ZAKEE SINGLETON	(310) 605-7931

ENGINEER'S NOTICE TO CONTRACTOR

THE ESTIMATED QUANTITY FOR EACH SPECIFIC ITEM OF THE WORK DESIGNATED ON THE PLANS SHALL BE CONSIDERED AS APPROXIMATE ONLY AND NO GUARANTEE IS MADE THAT THE QUANTITIES WHICH CAN BE DETERMINED BY COMPUTATIONS, BASED ON THE DETAILS AND DIMENSIONS SHOWN ON THESE PLANS, WILL EQUAL THE ESTIMATED QUANTITIES, THE ESTIMATE OF QUANTITIES PROVIDED BY THE ENGINEER ONLY FOR THE CONVENIENCE OF THE CITY. ANY ITEM OF WORK, OR PORTION THEREOF, REQUIRED BY THESE PLANS WHICH IS NOT SPECIFICALLY LISTED IN THE ESTIMATE OF QUANTITIES SHALL BE CONSIDERED AS INCLUDED IN THE OTHER ITEMS OF WORK.

BASIS OF BEARINGS


N/A

BENCHMARK

N/A

VERTICAL DATUM

N/A




SIGNING AND STRIPING GENERAL NOTES:

- ALL MATERIAL AND WORK SHALL CONFORM TO THE MOST RECENT VERSION OF THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CALIFORNIA MUTCD REV. 8), 2023 STANDARD PLANS AND STANDARD SPECIFICATIONS OF THE CALIFORNIA DEPARTMENT OF TRANSPORTATION, FHWA STANDARD HIGHWAY SIGNS, CALIFORNIA SIGN SPECIFICATION, AND THE SPECIAL PROVISIONS.
- ALL STRIPING AND PAVEMENT LEGENDS SHALL BE ALKYD-BASED THERMOPLASTIC WITH RAISED PAVEMENT MARKERS UNLESS OTHERWISE NOTED.
- ALL CONFLICTING LINES AND LEGENDS SHALL BE REMOVED BY GRINDING. REMOVAL OF RAISED PAVEMENT MARKERS SHALL NOT CAUSE DAMAGE TO THE PAVEMENT SURFACE.
- ALL SALVAGED SIGNS AND POSTS SHALL BE DELIVERED TO THE CITY MAINTENANCE YARD, 9505 JEFFERSON BLVD, CITY OF CULVER CITY, (310) 253-6441, UNLESS OTHERWISE INDICATED.
- NEW SIGNS POSTS SHALL BE "UNISTRUT" SQUARE GALVANIZED STEEL POSTS WITH A BREAKAWAY FEATURE, OR APPROVED EQUAL, PER LADOT STANDARD PLAN S-452.0.
- ALL NEW STREET NAME SIGNS SHALL BE DOUBLE-SIDED RETRO-REFLECTORIZED TYPE WITH A GREEN BACKGROUND AND A WHITE LEGEND. POST MOUNTED STREET NAME SIGNS SHALL USE 6 INCH UPPER CASE AND 4 1/2 INCH LOWER CASE SERIES C LETTERS WITH THE CITY SEAL AND LOGO, AS PER CITY STANDARD PLAN. ALL OVERHEAD STREET NAME SIGNS SHALL USE 12 INCH UPPER CASE AND 9 INCH LOWER CASE SERIES C LETTERS WITH NO CITY SEAL OR LOGO. ALL NEWSIGNS ARE TO HAVE RETRO-REFLECTORIZED SHEETING WITH TYPE III BACKGROUNDS, TYPE VIII WHITE TEXT, AND UV/ANTI-GRAFFITI FILM.
- ALL SIGNS ARE TO BE PER THE STATE OF CALIFORNIA SIGN SPECIFICATIONS AND SHALL BE MINIMUM 0.1 INCH THICK ALUMINUM SHEETING.
- STRIPING SHALL BE MARKED OUT BY THE CONTRACTOR AND APPROVED BY THE CITY TRAFFIC ENGINEER PRIOR TO FINAL INSTALLATION. WHERE THE PROPOSED STRIPING HAS TAPERS, MARKOUT SHALL USE THE PAINT BRUSH-OVER-ROPE TECHNIQUE. MINIMUM OF ONE WEEK NOTICE REQUIRED BY THE CITY TRAFFIC ENGINEER FOR APPROVAL OF STRIPING.
- NEW OR REALIGNED MARKED CROSSWALK SHALL BE 12-FEET WIDE UNLESS OTHERWISE NOTED, AND INSTALLED AS PER LADOT STD, PLAN S-481.1.

LEGEND

— — — — — CITY BOUNDARY



LOCATION MAP
N.T.S.








CITY OF CULVER CITY PUBLIC WORKS DEPARTMENT ENGINEERING DIVISION			
WASHINGTON BLVD MEDIAN IMPROVEMENTS SIGNING AND STRIPING PROJECT PXXXX TITLE SHEET			
DESIGNED BY MO/MP	DATE 9/19/24	SCALE HORIZ: VERT:	CHECKED BY DATE
DRAWN BY MO/MP	DATE 9/19/24	PROJECT NUMBER -	APPROVED BY: ANDREW MAXIMOUS, P.E., T.E. DATE
FIELD BOOK REFERENCE		YANNY DEMITRI, P.E. RCE 63388	
Sheet <u>1</u> Of <u>6</u> Sheets			



PLANS PREPARED BY:
WILLDAN Engineering | extending your reach
 13191 CROSSROADS PARKWAY NORTH
 SUITE 405 INDUSTRY, CA 91746-3497
 (962) 908-6200
 UNDER THE SUPERVISION OF
 JEFFREY C. LAU RCE 83887 DATE



NO. BY APPR. DATE

PLAN NO. MTE1001



- NOTES:**
- 1 PAINT MEDIAN NOSE IN HIGH REFLECTIVITY YELLOW PAINT (2 COATS.) EXTEND PAINT ON TOP OF CURB, TOP OF MEDIAN NOSE, AND CURB FACE TO BC, EC, OR END OF FLARE.
 - 2 INSTALL TYPE H ONE WAY YELLOW RETROREFLECTIVE RAISED PAVEMENT MARKERS AT 6" O.C. FROM BC TO EC OR END OF FLARE. YELLOW RETROREFLECTIVE TO FACE ONCOMING TRAFFIC.

DETAIL "F"
NO SCALE



NOTE
SIGNS SHALL NOT OBSTRUCT EMERGENCY VEHICLE PREEMPTION (EVP) EQUIPMENT ON TRAFFIC SIGNAL POLE/MAST ARM. CONTRACTOR SHALL ALERT CITY OF ANY CONFLICTS FOR ALTERNATE INSTALLATION LOCATION.

DETAIL "G"
48" TO TOP OF SIGN
NO SCALE

DETAIL "H"
48" SIGN MOUNT
NO SCALE

DETAIL "I"
48" TO TOP OF SIGN ASSEMBLY
NO SCALE

DETAIL "J"
7" SIGN MOUNT
NO SCALE

DETAIL "K"
TYPICAL TRAFFIC SIGNAL SIGN MOUNTING LOCATIONS
NO SCALE

**CITY OF CULVER CITY
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION**

WASHINGTON BLVD
MEDIAN IMPROVEMENTS
DETAIL SHEET

DESIGNED BY MO/MP	DATE 9/19/24	SCALE	CHECKED BY ANDREW MAXIMOUS, P.E., T.E.	DATE
DRAWN BY MO/MP	DATE 9/19/24	HORIZ: VERT:	APPROVED BY: YANNY DEMITRI, P.E. RCE 63388	DATE
FIELD BOOK REFERENCE		PROJECT NUMBER		
Sheet 2 Of 6 Sheets				




PLANS PREPARED BY:
WILLDAN Engineering | extending your reach
13191 CROSSROADS PARKWAY NORTH
SUITE 400 INDUSTRY, CA 91746-3497
(949) 908-6200
UNDER THE SUPERVISION OF
JEFFREY C. LAU RCE 83887 DATE

NO. BY APPR. DATE

PLAN NO. MTE 1001

WASHINGTON BLVD



SIGNING AND STRIPING GENERAL NOTES:


- ALL MATERIAL AND WORK SHALL CONFORM TO THE MOST RECENT VERSION OF THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CALIFORNIA MUTCD REV. 8), 2023 STANDARD PLANS AND STANDARD SPECIFICATIONS OF THE CALIFORNIA DEPARTMENT OF TRANSPORTATION, FHWA STANDARD HIGHWAY SIGNS, CALIFORNIA SIGN SPECIFICATION, AND THE SPECIAL PROVISIONS.
- ALL STRIPING AND PAVEMENT LEGENDS SHALL BE ALKYD-BASED THERMOPLASTIC WITH RAISED PAVEMENT MARKERS UNLESS OTHERWISE NOTED.
- ALL CONFLICTING LINES AND LEGENDS SHALL BE REMOVED BY GRINDING. REMOVAL OF RAISED PAVEMENT MARKERS SHALL NOT CAUSE DAMAGE TO THE PAVEMENT SURFACE.
- ALL SALVAGED SIGNS AND POSTS SHALL BE DELIVERED TO THE CITY MAINTENANCE YARD, 9505 JEFFERSON BLVD, CITY OF CULVER CITY, (310) 253-6441, UNLESS OTHERWISE INDICATED.
- NEW SIGNS POSTS SHALL BE "UNISTRUT" SQUARE GALVANIZED STEEL POSTS WITH A BREAKAWAY FEATURE, OR APPROVED EQUAL, PER LADOT STANDARD PLAN S-452.0.
- ALL NEW STREET NAME SIGNS SHALL BE DOUBLE-SIDED RETRO-REFLECTORIZED TYPE WITH A GREEN BACKGROUND AND A WHITE LEGEND. POST MOUNTED STREET NAME SIGNS SHALL USE 6 INCH UPPER CASE AND 4 1/2 INCH LOWER CASE SERIES C LETTERS WITH THE CITY SEAL AND LOGO, AS PER CITY STANDARD PLAN. ALL OVERHEAD STREET NAME SIGNS SHALL USE 12 INCH UPPER CASE AND 9 INCH LOWER CASE SERIES C LETTERS WITH NO CITY SEAL OR LOGO. ALL NEWSIGNS ARE TO HAVE RETRO-REFLECTORIZED SHEETING WITH TYPE III BACKGROUNDS, TYPE VIII WHITE TEXT, AND UV/ANTI-GRAFFITI FILM.
- ALL SIGNS ARE TO BE PER THE STATE OF CALIFORNIA SIGN SPECIFICATIONS AND SHALL BE MINIMUM 0.1 INCH THICK ALUMINUM SHEETING.
- STRIPING SHALL BE MARKED OUT BY THE CONTRACTOR AND APPROVED BY THE CITY TRAFFIC ENGINEER PRIOR TO FINAL INSTALLATION. WHERE THE PROPOSED STRIPING HAS TAPERS, MARKOUT SHALL USE THE PAINT BRUSH-OVER-ROPE TECHNIQUE. MINIMUM OF ONE WEEK NOTICE REQUIRED BY THE CITY TRAFFIC ENGINEER FOR APPROVAL OF STRIPING.
- NEW OR REALIGNED MARKED CROSSWALK SHALL BE 12-FOOT WIDE UNLESS OTHERWISE NOTED, AND INSTALLED AS PER LADOT STD, PLAN S-481.1.

SIGNING AND STRIPING CONSTRUCTION NOTES:

- INSTALL STRIPING DETAIL AND/OR PAVEMENT MARKING AS SHOWN.
- REMOVE CONFLICTING STRIPING.
- INSTALL 24" WHITE HIGH VISIBILITY CONTINENTAL CROSSWALK PER DETAIL "B". CROSSWALK SHALL BE 12' IN WIDTH (INSIDE TO INSIDE) UNLESS OTHERWISE INDICATED.
- INSTALL 12" WHITE LIMIT LINE, UNLESS OTHERWISE NOTED.
- INSTALL TYPE G ONE-WAY CLEAR RETROREFLECTIVE MARKER ON TOP OF CURB AT 10' O.C ALONG ENTIRE MEDIAN.
- INSTALL TYPE H ONE-WAY YELLOW RETROREFLECTIVE MARKER ON TOP OF CURB AT 10' O.C ALONG ENTIRE MEDIAN.
- INSTALL MEDIAN NOSE TREATMENT PER DETAIL "F".
- INSTALL SIGN AND/OR POST AS NOTED.
- REMOVE SIGN AND/OR POST AS NOTED.
- INSTALL 6" WHITE 45° DIAGONALS AT 10' O.C.

LEGEND

- SIGNALIZED INTERSECTION
- EXISTING SIGN & POST
- CURB MARKING AS NOTED
- PARKING METER ZONE



SCALE: 1" = 20'



CITY OF CULVER CITY PUBLIC WORKS DEPARTMENT ENGINEERING DIVISION			
WASHINGTON BLVD MEDIAN IMPROVEMENTS WASHINGTON BLVD/PLACE AT ZANJA STREET AND WADE STREET			
DESIGNED BY MO/MP	DATE 9/19/24	SCALE HORIZ: VERT:	CHECKED BY DATE
DRAWN BY MO/MP	DATE 9/19/24	PROJECT NUMBER -	APPROVED BY: DATE
FIELD BOOK REFERENCE		PROJECT NUMBER	
Sheet 4 Of 6 Sheets		YANNY DEMITRI, P.E. RCE 63388	



PLANS PREPARED BY:
WILLDAN Engineering *extending your reach*
 13191 CROSSROADS PARKWAY NORTH
 SUITE 405 INDUSTRY, CA 91746-3497
 (949) 908-6200
 UNDER THE SUPERVISION OF
 JEFFREY C. LAU RCE 83887 DATE

NO.	BY	APPR.	DATE

PLAN NO. MTE 1001



SCALE: 1" = 20'

SIGNING AND STRIPING CONSTRUCTION NOTES:

- 1 INSTALL STRIPING DETAIL AND/OR PAVEMENT MARKING AS SHOWN.
- 2 REMOVE CONFLICTING STRIPING.
- 3 INSTALL 24" WHITE HIGH VISIBILITY CONTINENTAL CROSSWALK PER DETAIL "B". CROSSWALK SHALL BE 12" IN WIDTH (INSIDE TO INSIDE) UNLESS OTHERWISE INDICATED.
- 4 INSTALL 12" WHITE LIMIT LINE, UNLESS OTHERWISE NOTED.
- 5 INSTALL TYPE G ONE-WAY CLEAR RETROREFLECTIVE MARKER ON TOP OF CURB AT 10' O.C ALONG ENTIRE MEDIAN.
- 6 INSTALL TYPE H ONE-WAY YELLOW RETROREFLECTIVE MARKER ON TOP OF CURB AT 10' O.C ALONG ENTIRE MEDIAN.
- 7 INSTALL MEDIAN NOSE TREATMENT PER DETAIL "F".
- 8 INSTALL SIGN AND/OR POST AS NOTED.
- 9 REMOVE SIGN AND/OR POST AS NOTED.
- 10 INSTALL 6" WHITE 45° DIAGONALS AT 10' O.C.

LEGEND

- (S) SIGNALIZED INTERSECTION
- (O) EXISTING SIGN & POST
- R/C CURB MARKING AS NOTED
- P.M.Z. PARKING METER ZONE

**CITY OF CULVER CITY
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION**

**WASHINGTON BLVD
MEDIAN IMPROVEMENTS
WASHINGTON BLVD/PLACE AT ZANJA STREET AND WADE STREET**

DESIGNED BY MO/MP	DATE 9/19/24	SCALE HORIZ: VERT:	CHECKED BY ANDREW MAXIMOUS, P.E., T.E.	DATE
DRAWN BY MO/MP	DATE 9/19/24	PROJECT NUMBER	APPROVED BY: YANNY DEMITRI, P.E. RCE 63388	DATE
FIELD BOOK REFERENCE		PROJECT NUMBER		



Sheet 4 Of 6 Sheets




PLANS PREPARED BY:
WILLDAN Engineering *extending your reach*
13191 CROSSROADS PARKWAY NORTH
SUITE 400 INDUSTRY, CA 91746-3497
(925) 938-6200
UNDER THE SUPERVISION OF
JEFFREY C. LAU RCE 83887 DATE

NO.	BY	APPR.	DATE

PLAN NO. MTE 1001



SCALE: 1" = 20'



SCALE: 1" = 20'

SIGNING AND STRIPING GENERAL NOTES:

- ALL MATERIAL AND WORK SHALL CONFORM TO THE MOST RECENT VERSION OF THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CALIFORNIA MUTCD REV. 8), 2023 STANDARD PLANS AND STANDARD SPECIFICATIONS OF THE CALIFORNIA DEPARTMENT OF TRANSPORTATION, FHWA STANDARD HIGHWAY SIGNS, CALIFORNIA SIGN SPECIFICATION, AND THE SPECIAL PROVISIONS.
- ALL STRIPING AND PAVEMENT LEGENDS SHALL BE ALKYD-BASED THERMOPLASTIC WITH RAISED PAVEMENT MARKERS UNLESS OTHERWISE NOTED.
- ALL CONFLICTING LINES AND LEGENDS SHALL BE REMOVED BY GRINDING. REMOVAL OF RAISED PAVEMENT MARKERS SHALL NOT CAUSE DAMAGE TO THE PAVEMENT SURFACE.
- ALL SALVAGED SIGNS AND POSTS SHALL BE DELIVERED TO THE CITY MAINTENANCE YARD, 9505 JEFFERSON BLVD, CITY OF CULVER CITY, (310) 253-6441, UNLESS OTHERWISE INDICATED.
- NEW SIGNS POSTS SHALL BE "UNISTRUT" SQUARE GALVANIZED STEEL POSTS WITH A BREAKAWAY FEATURE, OR APPROVED EQUAL, PER LADOT STANDARD PLAN S-452.0.
- ALL NEW STREET NAME SIGNS SHALL BE DOUBLE-SIDED RETRO-REFLECTORIZED TYPE WITH A GREEN BACKGROUND AND A WHITE LEGEND. POST MOUNTED STREET NAME SIGNS SHALL USE 6 INCH UPPER CASE AND 4 1/2 INCH LOWER CASE SERIES C LETTERS WITH THE CITY SEAL AND LOGO, AS PER CITY STANDARD PLAN. ALL OVERHEAD STREET NAME SIGNS SHALL USE 12 INCH UPPER CASE AND 9 INCH LOWER CASE SERIES C LETTERS WITH NO CITY SEAL OR LOGO. ALL NEWSIGNS ARE TO HAVE RETRO-REFLECTORIZED SHEETING WITH TYPE III BACKGROUNDS, TYPE VIII WHITE TEXT, AND UV/ANTI-GRAFFITI FILM.
- ALL SIGNS ARE TO BE PER THE STATE OF CALIFORNIA SIGN SPECIFICATIONS AND SHALL BE MINIMUM 0.1 INCH THICK ALUMINUM SHEETING.
- STRIPING SHALL BE MARKED OUT BY THE CONTRACTOR AND APPROVED BY THE CITY TRAFFIC ENGINEER PRIOR TO FINAL INSTALLATION. WHERE THE PROPOSED STRIPING HAS TAPERS, MARKOUT SHALL USE THE PAINT BRUSH-OVER-ROPE TECHNIQUE. MINIMUM OF ONE WEEK NOTICE REQUIRED BY THE CITY TRAFFIC ENGINEER FOR APPROVAL OF STRIPING.
- NEW OR REALIGNED MARKED CROSSWALK SHALL BE 12-FOOT WIDE UNLESS OTHERWISE NOTED, AND INSTALLED AS PER LADOT STD, PLAN S-481.1.

SIGNING AND STRIPING CONSTRUCTION NOTES:

- INSTALL STRIPING DETAIL AND/OR PAVEMENT MARKING AS SHOWN.
- REMOVE CONFLICTING STRIPING.
- INSTALL 24" WHITE HIGH VISIBILITY CONTINENTAL CROSSWALK PER DETAIL "B". CROSSWALK SHALL BE 12' IN WIDTH (INSIDE TO INSIDE) UNLESS OTHERWISE INDICATED.
- INSTALL 12" WHITE LIMIT LINE, UNLESS OTHERWISE NOTED.
- INSTALL TYPE G ONE-WAY CLEAR RETROREFLECTIVE MARKER ON TOP OF CURB AT 10' O.C ALONG ENTIRE MEDIAN.
- INSTALL TYPE H ONE-WAY YELLOW RETROREFLECTIVE MARKER ON TOP OF CURB AT 10' O.C ALONG ENTIRE MEDIAN.
- INSTALL MEDIAN NOSE TREATMENT PER DETAIL "F".
- INSTALL SIGN AND/OR POST AS NOTED.
- REMOVE SIGN AND/OR POST AS NOTED.
- INSTALL 6" WHITE 45° DIAGONALS AT 10' O.C.

LEGEND

- SIGNALIZED INTERSECTION
- EXISTING SIGN & POST
- CURB MARKING AS NOTED
- R/C
- P.M.Z. PARKING METER ZONE

**CITY OF CULVER CITY
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION**




**WASHINGTON BLVD
MEDIAN IMPROVEMENTS
WASHINGTON BLVD/PLACE AT ZANJA STREET AND WADE STREET**

DESIGNED BY MO/MP	DATE 9/19/24	SCALE HORIZ: VERT:	CHECKED BY ANDREW MAXIMOUS, P.E., T.E.
DRAWN BY MO/MP	DATE 9/19/24	PROJECT NUMBER -	APPROVED BY YANNY DEMITRI, P.E. RCE 63388
FIELD BOOK REFERENCE		PROJECT NUMBER	
Sheet <u>5</u> Of <u>6</u> Sheets			



PLANS PREPARED BY:
WILLDAN Engineering *extending your reach*
13191 CROSSROADS PARKWAY NORTH
SUITE 400 INDUSTRY, CA 91746-3497
(949) 908-6200
UNDER THE SUPERVISION OF
JEFFREY C. LAU RCE 83887 DATE

PLAN NO. MTE 1001



SIGNING AND STRIPING GENERAL NOTES:

- ALL MATERIAL AND WORK SHALL CONFORM TO THE MOST RECENT VERSION OF THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CALIFORNIA MUTCD REV. 8), 2023 STANDARD PLANS AND STANDARD SPECIFICATIONS OF THE CALIFORNIA DEPARTMENT OF TRANSPORTATION, FHWA STANDARD HIGHWAY SIGNS, CALIFORNIA SIGN SPECIFICATION, AND THE SPECIAL PROVISIONS.
- ALL STRIPING AND PAVEMENT LEGENDS SHALL BE ALKYD-BASED THERMOPLASTIC WITH RAISED PAVEMENT MARKERS UNLESS OTHERWISE NOTED.
- ALL CONFLICTING LINES AND LEGENDS SHALL BE REMOVED BY GRINDING. REMOVAL OF RAISED PAVEMENT MARKERS SHALL NOT CAUSE DAMAGE TO THE PAVEMENT SURFACE.
- ALL SALVAGED SIGNS AND POSTS SHALL BE DELIVERED TO THE CITY MAINTENANCE YARD, 9505 JEFFERSON BLVD, CITY OF CULVER CITY, (310) 253-6441, UNLESS OTHERWISE INDICATED.
- NEW SIGNS POSTS SHALL BE "UNISTRUT" SQUARE GALVANIZED STEEL POSTS WITH A BREAKAWAY FEATURE, OR APPROVED EQUAL, PER LADOT STANDARD PLAN S-452.0.
- ALL NEW STREET NAME SIGNS SHALL BE DOUBLE-SIDED RETRO-REFLECTORIZED TYPE WITH A GREEN BACKGROUND AND A WHITE LEGEND. POST MOUNTED STREET NAME SIGNS SHALL USE 6 INCH UPPER CASE AND 4 1/2 INCH LOWER CASE SERIES C LETTERS WITH THE CITY SEAL AND LOGO, AS PER CITY STANDARD PLAN. ALL OVERHEAD STREET NAME SIGNS SHALL USE 12 INCH UPPER CASE AND 9 INCH LOWER CASE SERIES C LETTERS WITH NO CITY SEAL OR LOGO. ALL NEWSIGNS ARE TO HAVE RETRO-REFLECTORIZED SHEETING WITH TYPE III BACKGROUNDS, TYPE VIII WHITE TEXT, AND UV/ANTI-GRAFFITI FILM.
- ALL SIGNS ARE TO BE PER THE STATE OF CALIFORNIA SIGN SPECIFICATIONS AND SHALL BE MINIMUM 0.1 INCH THICK ALUMINUM SHEETING.
- STRIPING SHALL BE MARKED OUT BY THE CONTRACTOR AND APPROVED BY THE CITY TRAFFIC ENGINEER PRIOR TO FINAL INSTALLATION. WHERE THE PROPOSED STRIPING HAS TAPERS, MARKOUT SHALL USE THE PAINT BRUSH-OVER-ROPE TECHNIQUE. MINIMUM OF ONE WEEK NOTICE REQUIRED BY THE CITY TRAFFIC ENGINEER FOR APPROVAL OF STRIPING.
- NEW OR REALIGNED MARKED CROSSWALK SHALL BE 12-FOOT WIDE UNLESS OTHERWISE NOTED, AND INSTALLED AS PER LADOT STD, PLAN S-481.1.



PLANS PREPARED BY:
WILLDAN Engineering *extending your reach*
13191 CROSSROADS PARKWAY NORTH
SUITE 400 INDUSTRY, CA 91746-3497
(949) 908-6200
UNDER THE SUPERVISION OF
JEFFREY C. LAU RCE 83887 DATE

CITY OF CULVER CITY PUBLIC WORKS DEPARTMENT ENGINEERING DIVISION			
WASHINGTON BLVD MEDIAN IMPROVEMENTS GUIDE SIGN DETAILS			
DESIGNED BY MO/MP	DATE 9/19/24	SCALE HORIZ: VERT:	CHECKED BY ANDREW MAXMOUS, P.E., T.E. DATE
DRAWN BY MO/MP	DATE 9/19/24	PROJECT NUMBER -	APPROVED BY: YANNY DEMITRI, P.E. RCE 63388
FIELD BOOK REFERENCE			
Sheet <u>6</u> Of <u>6</u> Sheets			

PLAN NO. MTE 1001