NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	GENERAL			T O I I I O O I I O O O O O O O O O O O
1.	Street trees, tree wells, and irrigation shall be installed, to the satisfaction of the City Engineer and Current Planning Manager, in conformity with the City's approved Urban Forest Master Plan, and where appropriate, the Washington National TOD Oriented Street scape plan. All new (and existing) street trees shall be supplied with irrigation water from the overall site irrigation system which shall include a timer and a rain sensor. All new (and existing) street trees, landscaping, and irrigation shall be indicated on the overall site landscaping/ irrigation plan.	Public Works/ Current Planning	Standard	
2.	At the sole cost and expense of the Property Owner, any curbs, gutters, sidewalks, streetlights, street light wires and conduits, traffic signal equipment, street pavement, and any other City infrastructure which are damaged or broken from construction of the Project shall be repaired and reconstructed in conformity with APWA Standards and to the satisfaction of the City Engineer.	Public Works	Standard	
3.	The project shall be subject to Holiday Moratorium dates as required by the December 17, 2009 Public Works/Engineering Holiday Slowdown Policy memo, in which work in the public right-of-way is restricted or prohibited on certain days in November and December.	Public Works	Standard	
4.	Fire sprinkler main lines shall not be allowed to discharge into the public right-of-way, and they shall discharge into the sanitary sewer system.	Public Works	Standard	
5.	Trash enclosures shall be provided and shall each have a minimum inside dimension of 10 feet (depth) x 12 feet (width) for two 3-yard bins and shall be increased to an additional 60 square feet for each additional bin required, a gated opening that is at least 10 feet wide, and a 6-inch-high by 6-inch-wide concrete curb along the inside perimeter wall. Each enclosure shall also have at least a 6-inch-thick concrete slab that drains at a one percent gradient out of the enclosure. An 8 feet concrete loading pad in front of the proposed trash enclosure, 10 feet minimum clear opening with gates for bin access, and separate pedestrian access door for tenant use, shall be provided. Additional grade may be necessary to include a floor drain that leads to the	Public Works/ Fire/ Current Planning	Standard	

	11132 Washington Bivu.			
NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	GENERAL			
	sewer for maintenance purposes. Final approval for the size, location, and type of equipment needed for the adequate storage and disposal of all solid and recyclable waste generated by the Project shall be obtained from the City's Environmental Programs and Operations Manager. A fire suppression sprinkler system shall be provided within any covered trash enclosure area as required by the Fire Marshal. All refuse containers assigned to or otherwise used by the Project shall be stored on-site in the trash enclosures.			
6.	All Project related solid and recyclable waste material handling shall be in accordance with CCMC Section 5.01.010 – "Solid Waste Management", which outlines the Sanitation Division's exclusive franchise for this service. The project shall provide adequate trash and recycling capacity and shall comply with Assembly Bills 939, 1826, and 341 waste diversion goals.	Public Works	Standard	
7.	All buildings and structures to be constructed as part of the Project shall be designed and constructed in accordance with all applicable regulations and standards of the City's Building Code, Fire Code, and any related codes as determined by the Building Official and Fire Marshal; and all other applicable provisions of the CCMC which are adopted and in effect at the time of complete building permit application submittal.	All Depts	Standard	
8.	Changes to the Project or use approved as part of the Land Use Permit may only be made in accordance with the provisions of CCMC Section 17.595.035 – "Changes to an Approved Project".	Current Planning	Standard	
9.	Drainage devices, concrete curb and gutter, sidewalk, and drive approach, roadway pavement shall be designed to the latest edition of the American Public Works Association (APWA) Standard Plans.	PW Engineering	Special	
10.	Projects shall be reviewed under the building code edition adopted when Building and Safety receives an application, plan check fees paid, with associated complete plan and supporting documentation set. Currently, 2022 California Building Codes.	Building Safety	Special	
11.	A full comprehensive code analysis shall be part of the plan check submittal set. It shall include, but not be limited to, means of egress plan, fire rated wall	Building Safety	Special	

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	GENERAL			
	protection plan, accessible plan, exterior opening area analysis, energy analysis, parking analysis, CALGreen checklist, commercial plumbing fixture count analysis, allowable height and area analysis.			
12.	Building shall have fire sprinklers installed per 2019 NFPA 13 requirements and CCMC 9.02. Fire department connection (FDC) shall be located as approved by Fire Marshal. The Double Detector Check Assembly (DDCA) shall be located as required by GSW.	Community Risk Reduction	Special	
13.	Location of the Fire Department fire sprinkler connection (FDC) shall be approved by the Fire Marshal. Culver City Fire Department requires each FDC to be within 150 feet of a public fire hydrant.	Community Risk Reduction	Special	
14.	Provide addresses viewable from the public way.	Community Risk Reduction	Special	
15.	Provide fire sprinkler monitoring and fire alarm system per 2019 NFPA 72, fire monitoring system shall be separate from the security system.	Community Risk Reduction	Special	
16.	Provide Knox Box.	Community Risk Reduction	Special	
17.	be approved by Fire Marshal.	Community Risk Reduction	Special	
18.	An automatic smoke detection system shall be installed throughout the Group I-4, including contiguous day rooms, group activity spaces and other common spaces normally occupied by the clients. Group I-4 facilities located above the first story shall comply with the provisions of Section 436.1.	Community Risk Reduction	Special	

				Compliance
NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	PRIOR TO DEMOLITION PERMI	T ISSUANCE		
19.	A covenant and agreement, on a form provided by the Current Planning Division and the City Attorney, acknowledging and agreeing to comply with all terms and conditions established herein, shall be signed by the Property Owner, and recorded in the County Recorder's Office. The covenant and agreement shall run with the land and shall be binding on any subsequent owners, and tenants or occupants of the Property. After recordation, a certified copy bearing the Recorder's number and date shall be provided to the Current Planning Division.	Current Planning/ City Attorney	Standard	
20.	The Applicant and/or Property Owner shall indemnify, hold harmless and defend (at the Applicant's and Property Owner's sole cost and expense, with legal counsel approved by the City in its sole discretion) the City, its elected and appointed officials, officers, employees, agents, contractors and consultants from and against any and all claims, lawsuits, judgments, liability, injury or damage arising from or in any manner connected to any and all permits or approvals relating to the Project, including without limitation associated and reasonably incurred attorneys' fees and court and litigation costs arising out of the defense of any such claims and/or lawsuits, and actual attorneys' fees and court and litigation costs that may be awarded by the court and required to be paid by the City. The obligations required by this Condition shall be set forth in a written instrument in form and substance approved by the City Attorney and signed by the Applicant and Property Owner.	City Attorney	Standard	
21.	A Comprehensive Construction Management Plan (CMP) shall be submitted to Building & Safety as part of the Building Permit plan check approval process and shall be approved prior to issuance of the Demolition and / or Building Permit. The comprehensive CMP shall include all plans specified in the conditions of approval. In addition, the plan will identify the areas of construction staging, temporary power, portable toilet, and trash and material storage locations.	All Depts	Standard	

	-			Compliance
NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	PRIOR TO DEMOLITION PERMI	T ISSUANCE		
	The CMP shall show all areas of the public right-of-way which may be affected by the construction of the project. Unless otherwise approved by the Public Works Director, sidewalk access shall be maintained at all times along the project's frontage.			
	In addition to the above, the CMP shall include the following components:			
	a. A Pedestrian Protection Plan shall identify all areas of pedestrian protection and indicate the method of pedestrian protection or pedestrian diversion when required. When pedestrian diversion is required, the Pedestrian Protection Plan must also be approved by the City Engineer.  b. A Construction Traffic Management Plan shall be prepared by a traffic or civil engineer registered in the State of California. The Construction Traffic Management Plan shall be reviewed and approved by the City Engineer and Current Planning Manager prior to the issuance of any Project demolition, grading, or excavation permit. The Construction Traffic Management Plan shall also be reviewed and approved by the City's Fire and Police Departments. The City Engineer and Current Planning Manager reserve the right to reject any engineer at any time and to require that			
	the Plan be prepared by a different engineer. The Construction Traffic Management Plan shall contain, but not be limited to, the following:			
	A. The name and telephone number of a contact person who can be reached 24 hours a day regarding construction traffic complaints or emergency situations.			
	B. An up-to-date list of local police, fire, and emergency response organizations and procedures for the continuous coordination of construction activity, potential delays, and any alerts related to unanticipated road conditions or delays, with local police, fire, and emergency response agencies. Coordination shall include the assessment of any			

		_		Compliance
NO.	CONDITIONS OF APPROVAL	Agency	Source	Verification
	PRIOR TO DEMOLITION PERMI	T ISSUANCE		
	alternative access routes that might be required through the Property, and maps showing access to and within the Property and to adjacent properties.			
	C. Procedures for the training and certification of the flag persons used in implementation of the Construction Traffic Management Plan. Flag persons with certified training shall be provided for work site traffic control to minimize impacts to traffic flow and to ensure the safe movement of vehicles into and out of the Property.			
	D. The location, times, and estimated duration of any roadway closures, traffic detours, use of protective devices, warning signs, and staging or queuing areas.			
	E. The location and travel routes of off-site staging and parking locations.			
	F. Estimated number of trucks per hour for dirt hauling, concrete pouring, deliveries, etc.			
	c. <u>A Demolition Debris Recycling Plan</u> shall list the material to be recycled and the name, address, and phone number of the facility of organization accepting the materials. Reasonable efforts shall be used to reuse and recycle construction and demolition debris, to use environmentally friendly materials, and to provide energy efficient buildings, equipment, and systems.			
	d. A vector/pest control abatement plan prepared by a pest control specialist licensed or certified by the State of California shall outline all steps to be taken prior to the commencement of any demolition or construction activity in order to ensure that any and all pests (including, but not limited to, rodents, bees, ants and mosquitoes) that may populate the Property do not relocate to or impact adjoining properties.			
	e. The CMP shall address implementation of the following measures during construction:			

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	PRIOR TO DEMOLITION PERMI	T ISSUANCI		
	i Foundation Shoring Plan demonstrating use of noise dampening design methods.			
	ii Construction Rules Sign that includes contact names and telephone numbers.			
	iii Daily maintenance of construction site.			
	iv Dust control by regular watering.			
	v Construction worker and contractor offsite parking.			
	vi Staging and storage of construction equipment on-site only.			
	vii Compliance with noise standards.			
	f. Foundation shoring and/or foundation piles. When foundation shoring and/or foundation piles will be part of the Project, the engineer of record shall specify use of noise dampening measures such as the drilling of shoring supports and piles as determined by the Building Official and Current Planning Manager, which shall be incorporated in project plans.			

	TTT02 vvastiington biva.				
NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification	
	PRIOR TO GRADING / BUILDING PI	ERMIT ISSUAN	CE		
23.	A minimum of two sets of final landscaping and irrigation plans (separate from the plans submitted for the building permit) shall be submitted to the Current Planning Division for review and approval.	Current Planning / Parks, Recreation and Community Services	Standard		
24.	Prior to issuance of a building permit, notice of the Project construction schedule and CCMC 3307 shall be provided to all abutting property owners and occupants within 100 feet of the site. An affidavit of such notification shall be provided to the Building Division (building.safety@culvercity.org). The notice shall identify the commencement date and proposed timing for all construction phases (demolition, grading, excavation/shoring, foundation, rough frame, plumbing, roofing, mechanical and electrical, and exterior finish).	Building Safety	Standard		
25.	The applicant, including the on-site construction superintendent, shall attend a pre-construction meeting with all reviewing City departments and/or divisions, organized by Building Safety, in order to review all project conditions of approval.  Prior to commencement of work the construction contractor shall advise the Public Works Inspector on-site ("Inspectors") of the construction schedule and shall meet with the Inspectors.	All	Standard		
26.	The project is subject to the City's Sewer Facility Charge due to the change in use and increased density. This charge must be paid prior to the issuance of a building permit.	PW Engineering	Standard		
27.	Any construction work in the public right-of-way requires the issuance of an encroachment permit from the Public Works Department including a traffic control plan consistent with the CA MUTCD.	PW Mobility	Standard		
28.	On-site improvement plans prepared by a civil engineer registered in the State of California shall be submitted to the Engineering Division for review, approval and permitting. Among other things, the on-site improvement plans shall include detailed on-site drainage and grading of	PW Engineering	Standard		

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	PRIOR TO GRADING / BUILDING PI	ERMIT ISSUAN	CE	
	the site indicated by topographical lines and spot elevations. This plan shall be approved for on-site construction only.			
29.	Off-site improvement plans prepared by a civil engineer registered in the State of California shall be submitted to the Engineering Division for review, approval and permitting for all proposed improvements within the public right-of-way. Separate plans shall be submitted for street improvements, street light improvements, traffic signal, signage and striping, and sewer improvements. Landscape and irrigation plans for the public parkway area and raised medians shall be included in the street improvement plans.	PW Engineering	Standard	
30.	Applicant shall pay an initial plan check fee in the amount of \$750.00 each upon submittal of the onsite-improvement and off-site improvement plans for review. Additional plan check and permit fees will be determined per the Engineering Division's Schedule of Fees and Charges.	PW Engineering	Standard	
31.	A careful, detailed photo documentation of neighboring properties is required prior to the start of any major construction activities, provide a digital copy of photos to Building Safety.	Building Safety	Standard	

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	DURING CONSTRUCT	ION		
32.	During all phases of construction, a "Construction Rules Sign" that includes contact names and telephone numbers of the Developer, Property Owner, construction contractor(s), and the City, shall be posted on the Property in a location that is visible to the public. These names and telephone numbers shall also be made available to adjacent property owners and occupants to the satisfaction of the Current Planning Manager and Building Official.	Building Safety/ Current Planning	Standard	
33.	During construction, the Property shall be maintained daily so that it is free of trash and litter.	Building Safety	Standard	
34.	During construction, dust shall be controlled by regular watering or other methods as determined by the Building inspector.	Building Safety/ Public Works	Standard	
35.	The Building Division may apply administrative assessments and/ or post general stop work notices for any violations of the Conditions of Approval for the Project, and any violations of the CCMC.  In the event three citations are issued in connection with the Project for violations of these Conditions of Approval or for other violations of	Building Safety	Standard	
	the CCMC, Project construction shall be stopped until such time that it is determined to the satisfaction of the Community Development Director, that causes of such violations have been eliminated or corrected and that the Project will be able to proceed in full compliance with these Conditions of Approval and the CCMC.			
36.	During all phases of construction, all construction workers, contractors, and others involved with the Project shall park on the Property or at designated offsite locations approved by the City, and not in the surrounding neighborhood.	Building Safety, Current Planning Public Works	Standard	

	Compliance					
NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification		
	DURING CONSTRUCT	ION				
37.	Prior to the commencement of any excavation, a temporary construction fence with wind screen shall be installed around the site. The wind screen may be omitted for drivers line of sight. The height and fence material are subject to approval by the City Engineer and the Current Planning Manager. The site fence location shall be identified on the Demolition plan.	Building Safety/ Current Planning/ Public Works	Standard			
38.	Hours of construction shall be limited to the following: 8:00 AM to 8:00 PM Monday through Friday; 9:00 AM to 7:00 PM Saturday; and 10:00 AM to 7:00 PM Sunday and National holidays.  Dirt hauling and construction material deliveries or removal are prohibited during the morning (7:00 AM to 9:00 AM) and afternoon (4:00 PM to 6:00 PM) peak traffic periods. All construction workers shall be respectful of the surrounding neighborhood and keep non-construction related noise to a minimum prior to, during, and after permissible construction hours.	Building Safety/ Public Works	Standard			
39.	All staging and storage of construction equipment and materials, including the construction dumpster, shall be on-site only. The Property Owner must obtain written permission from adjacent property owners for any construction staging occurring on adjacent property.	Building Safety/ Public Works	Standard			
40.	Compliance with the following noise standards shall be required with at all times:  A. No construction equipment shall be operated without an exhaust muffler, and all such equipment shall have mufflers and sound control devices (i.e., intake silencers and noise shrouds) that are no less effective than those provided on the original equipment;  B. All construction equipment shall be properly maintained to minimize noise emissions;  C. If any construction vehicles are serviced at a location onsite, the vehicle(s) shall be setback from any street and other property lines so as to maintain the greatest distance	Building Safety/ Current Planning	Standard			

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance
1101	DURING CONSTRUCT		00000	Verification
	from the public right-of-way and from Noise Sensitive Receptors;  D. Noise impacts from stationary sources (i.e., mechanical equipment, ventilators, and air conditioning units) shall be minimized by proper selection of equipment and the installation of acoustical shielding as approved by the Current Planning Manager and the Building Official in order to comply with the City's Noise Regulations and Standards as set forth in CCMC Chapter 9.07; and  E. Stationary source equipment (i.e., compressors) shall be located so as to maintain the greatest distance from the public right-of-way and from Noise Sensitive Receptors.			
42.	Construction vehicles shall not be permitted to stage or queue where they would interfere with vehicular and pedestrian traffic or block access to adjacent properties. During construction, trucks and other vehicles in loading and unloading queues must be parked with their engines off to reduce vehicle emissions. Construction deliveries shall be phased and scheduled to avoid emissions peaks as determined by the Building Official and discontinued during second-stage smog alerts.	Building Safety/ Public Works	Standard	
	Off-site staging shall be at locations approved by the City Engineer and shall be of sufficient length to accommodate large trucks without being unduly disruptive to traffic operations. The drivers of these trucks shall be in radio or phone communication with on-site personnel who shall advise the drivers when to proceed from the staging location to the Property. Construction-related vehicles shall not be permitted to park on public streets except along the frontage of the construction site and shall be approved by the City Engineer.			
43.	Any type of damage to any adjacent property or any part of the City right of way will result in a general stop work order.	Building Safety	Standard	
L				<u> </u>

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification	
DURING CONSTRUCTION					
44.	Construction hours shall be per the CCMC and/or any more restrictive project specific requirements, and/ or any Culver City Current Planning Division approved temporary use permit. All concrete pours/worker staging/any on-site or off-site activity shall start and end within the allowed construction hours. No on-site or off-site staging activity or any activity of any kind is allowed outside of the allowed construction hours.	Building Safety	Standard		
45.	Every effort shall be made to minimize noise on site, no music is allowed on site.	Building Safety	Standard		
46.	Place a temporary construction sign during construction with the superintendent's name and phone number, the contractors name and phone number, the allowed hours of construction, and the minimum safety gear mandatory for all staff on site; long pants, a shirt w/ sleeves, closed toe shoes, a hardhat, gloves and eye and ear protection as necessary.	Building Safety	Standard		
47.	Submit the qualifications of any special inspectors to Building Safety in advance. Building Safety reserves the right to dismiss any special inspector at any time. During construction have a predetermined location for the special inspection reports, engineer's reports, for easy access by the Building Safety staff.	Building Safety	Standard		
48.	All trucks driving to the jobsite shall obtain C.C. haul route permits, a copy of the approved haul route permit shall be kept in every vehicle traveling to the construction site, including supplier and delivery vehicles.	Building Safety	Standard		
49.	Culver City Building Safety reserves the right to adjust allowed construction staging areas during the project, or to apply administrative assessments, or to post a general stop work notice for violations of any conditions of approval or any previously approved use of the City right-of-way.	Building Safety	Standard		

		_	_	Compliance
NO.	CONDITIONS OF APPROVAL	Agency	Source	Verification
	PRIOR TO CERTIFICATE OF OCCUPANCY			
50.	All provisions, and requirements set forth in these Conditions of Approval, in the Resolution approving the project, in the CCMC, or in any applicable written comments as provided by City representatives on <b>July 18, 2024</b> at the Project Review Committee meeting on the Land Use Permit application, shall be fulfilled and satisfied to the satisfaction of all City departments before the use may be established or the Project occupied.	All	Standard	
51.	All onsite and offsite improvements and all conditions of approval except those which are deferred pursuant to a bond or letter of credit as determined and approved by the Building Official, Fire Marshal, Current Planning Manager, and/or City Engineer shall be completed prior to issuance of any certificate of occupancy. Prior to issuance of any certificate of occupancy the following shall be provided to and approved by the City:  A digital format compatible with the City's computer system, of as-built set of plans that shall include at a minimum all information that is	All	Standard	
	on the final version of the Building Permit set including any revisions as well as the site plan, grading and utility plan, landscape and irrigation plan, floor plan for each level of the Project, parking structure plan, roof plan with all mechanical equipment identified as to purpose and source and all offsite improvements., and that are certified by the project architect and engineer.			
52.	The applicant shall scan the grading plans, all off- site plans, and SUSMP and SWPPP reports and forward the electronic copies to Engineering.	Public Works	Standard	
53.	All signs and existing painted curb fronting the site shall be replaced and refreshed.	Public Works	Standard	
54.	The Project shall comply with CCMC Chapter 15.06: New Development Fees including the Art in Public Places Program, as set forth in CCMC Section 15.06.100, et. seq.	All	Standard	

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	PRIOR TO CERTIFICATE OF OCCUPANCY	OR FINAL INS	PECTION	
55.	The project shall replace any parking meters, signs and posts, signal poles, and any other traffic and parking control devices within the public right-of-way if damaged by the project construction.	PW Mobility	Special	
56.	The applicant shall scan the approved grading plans, off-site improvements plans, LID Report, and SWPPP, and shall forward them to the Engineering Division.	PW Engineering	Special	
57.	Project will be required to place a pull box and conduit to connect to the project's proposed networking room for future Culver Connect fiber consideration. Pull box and conduit shall be onsite.	PW Engineering	Special	

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
58.	The use and development of the Property shall be in substantial conformance with the plans and materials submitted with the application for the Land Use Permit as reviewed by the Planning Commission at its meeting on <b>November 8</b> , <b>2023</b> , excepted as modified by these Conditions of Approval.	Current Planning	Standard	
59.	Pursuant to CCMC Section 17.650.020 - "Inspection", the Property Owner and Applicant shall allow authorized City officials, or their designees, access to the Property where there is reasonable cause to believe the Property is not in compliance with these Conditions of Approval or other requirements of the CCMC.	All	Standard	
60.	The use and development of the Property shall comply with these Conditions of Approval and all applicable local, special district or authority, county, state and federal statutes, codes, standards, regulations, guidelines and policies, including, but not limited to, Building Division, Fire Department, Current Planning Division and Public Works Department requirements, and shall comply with all applicable CCMC requirements and all comments made during the City's building permit plan check review process (collectively, "Applicable Rules"). Failure to comply with Applicable Rules may result in reconstruction work, demolition, stop work orders, withholding of certificate of occupancy, revocation of land use permit approval and/or any other remedies available to the City in law or in equity.	All	Standard	
61.	All graffiti shall be removed from the Property within 48 hours of its application.	All	Standard	
62.	The project shall provide streetscape improvements along the project's street frontage including street trees in accordance with the Urban Forest Master Plan, and benches, bike racks, waste bins consistent with the specifications provided in the Washington National Streetscape plan.	Current Planning	Standard	

NO.	CONDITIONS OF APPROVAL	Agency	Source	Compliance Verification
	ON-GOING			
63.	All mitigation measures set forth in any environmental document relating to the Project (including any reports of the type contemplated by the California Environmental Quality Act) shall be incorporated herein by this reference as though fully set forth in these Conditions of Approval and shall be completed as specified therein.	Current Planning	Standard	
64.	The use shall comply with all applicable standards for a child daycare and private school use per CCMC Title 17.	Current Planning	Standard	
65.	The use is permitted to enroll up to 60 students and a minimum 8 employees.	Current Planning	Special	
66.	The use shall designate members of staff to coordinate automobile movement during pickup and drop off hours to ensure that their cars enter and exit the site without causing spillover on the public right-of-way. A staggered drop-off and pick-up schedule shall be employed for the students as stated in the Mobility Plan Technical Memorandum.	Current Planning	Special	
67.	The use shall operate between the hours of 7:00 AM and 6:00 PM.	Current Planning	Special	
68.	The use shall provide offsite parking spaces consistent with parking operations plan submitted and approved by Planning Commission for Conditional Use Permit.	Current Planning	Special	
69.	Parking demand management measures proposed in the Mobility Plan Technical Memorandum shall be implemented and enforced by the applicant. The applicant shall provide an annual update to Current Planning Staff regarding implementation of the parking demand management measures.	Current Planning	Special	

### **GLOSSARY OF ABBREVIATIONS**

American Public Works Association Standard Plans	APWA Standards.
Construction Management Plan	CMP
Culver City Municipal Code	CCMC
Electrical Vehicle	EV
Standard Urban Stormwater Mitigation Plan	SUSMP

Stormwater Pollution Prevention Plan	SWPPP
Transit Oriented Development	TOD