


Accessible parking stall



Accessible parking stall



Accessible ramp and stair



Accessible ramp and stair



CBC vs ADA

CBC: California Building Code (a state building code)

ADA: Americans with Disabilities Act (a federal civil rights law)

- Buildings in California must comply with both the Americans with Disabilities Act and California Building Code.
- The California Building Code is adopted from the ADA Standards for Accessibility Design. However, the CBC has many California amendments and is typically more stringent than ADA.


11B-502.2 Vehicle spaces. *Car and van parking spaces shall be 216 inches (5486 mm) long minimum. Car parking spaces shall be 108 inches (2743 mm) wide minimum and van parking spaces shall be 144 inches (3658 mm) wide minimum, shall be marked to define the width, and shall have an adjacent access aisle complying with Section 11B-502.3.*

The italic text indicates California Amendments


Accessible parking spaces

ADA Standards

Figure 502.2 Vehicle Parking Spaces



CBC Chapter 11B




Accessible parking spaces (marking requirements)

ADA Standards

- ADA defers to local and state jurisdictions for marking requirements


CBC Chapter 11B



Stair handrails


ADA Standards

Figure 505.10.3 Bottom Handrail Extension at Stairs



Note: X = tread depth

CBC Chapter 11B



Note: X = tread depth

Toilet room signs

ADA Standards

- ADA does not require any geometric symbols on toilet room entry doors.

CBC Chapter 11B

EXHIBIT A - Door Symbol (required by the CBC)

This image represents the door symbol that is required by CBC 11B-216.8 to identify an all-gender/unisex single-user toilet facility. The symbol must comply with the requirements of CBC 11B-703.7.2.6.3. No pictogram, text, or braille is required on the symbol.

