

City of Culver City, California
City Council Agenda Item Report

Meeting Date: 3/23/2009		Item Number: <u>C-8</u>	
AGENDA ITEM: Approval of Plans and Specifications and Authorization to Advertise for Construction Bids for the Culver City Transfer Station Tipping Floor Repair Project.			
Contact Person/Dept.: Steven Finton		Phone Number: (310) 253-6406	
Fiscal Impact: Yes ☒ No ☐		General Fund: Yes ☐ No ☒	
Public Hearing: ☐		Action Item: ☐ Attachments: ☒	
Public Notification: Master E-Mail Notification List (03/18/09)			
Department Approval: Charles D. Herbertson (03/11/09)		City Attorney Approval: Carol Schwab (by H. Baker) (03/17/09)	
Chief Financial Officer Approval: Jeff Muir (by N. Kimball) (03/18/09)		City Manager Approval Jerry B. Fulwood (03/18/09)	
<u>RECOMMENDATION:</u> Staff recommends the City Council approve the plans and specifications and authorize the advertising for construction bids for the Culver City Transfer Station Tipping Floor Repair Project and authorize staff to solicit construction bids. <u>BACKGROUND:</u> The City owns and operates a solid waste transfer station. Solid waste collected by the City's Sanitation Division trucks is transferred to tractor/trailers at the facility for ultimate disposal at the Puente Hills landfill. Roll-off service, green waste processing, and all other Sanitation Division functions are also based at this facility. The transfer station is a two-story reinforced concrete structure located adjacent to Ballona Creek at 9255 Jefferson Boulevard. Sanitation Division collection trucks dump their loads on the upper level tipping floor and a large tractor loader pushes the material through an opening in the tipping floor into Sanitation Division transfer trucks parked on the lower level. These loading activities wear the surface of the tipping floor requiring that the floor be repaired from time to time to maintain its structural integrity. <u>DISCUSSION:</u>			

City of Culver City, California
City Council Agenda Item Report

Presently, the tipping floor surface is showing significant wear and it is recommended that a repair effort be conducted at this time.

The recommended repair consists of the application of a special high-strength concrete overlay over worn portions of the tipping floor to restore floor thickness. A complete set of plans and specifications is available for review at the City Clerk's Office in City Hall.

FISCAL ANALYSIS:

Funding for the project is included in the Refuse Fund's adopted 2008-09 Budget (Account No. 20267300).

ATTACHMENTS:

- 1) Tipping floor repair plan
- 2) Diagram of loading operation

MOTION:

That the City Council:

Approve the plans and specifications and authorize the advertising for construction bids for the Culver City Transfer Station Tipping Floor Repair project.